InterfectionTotal Quality. Assured.TEST REPORTNumber:GZHT90777310					
Applicant:	JIN SHEU ENTER 8F-9, NO., 502, Y ZHONGHE DIST., TAIWAN Attn: HEIDI		Date:	Mar 14, 2018	
Sample Description One (1) piece Standard Buyer's Name Colour Vendor Wanufacturer Supplier Style No./Nam P.O. No. Ref.	of submitted samp	 Ne said to be Mixture ink for soft PVC WORLD WIDE WORLD WIDE CHINA CHINA CHINA MIXTURE INK FOR SOFT PVC PRIAGE RANGE: 3+ 			
Country Of Or	rigin	: MADE IN CHINA			

Date Received/Date Test Started : Refer To Following Remark Date Final Information Confirmed: --

Goods Exported To

Remark: No Sample Is Submitted For Testing, All Test Results Are Referred To Previous Report GZHT90770809 Dated Feb 08, 2018.

Conclusion:

<u>Index</u>	Test Item	<u>Result</u>
1.	Total Lead (Pb) Content In Surface Coating	Pass
2.	Total Cadmium (Cd) Content	Pass

Should you have any query on this report, you may contact at gzfootwear@intertek.com

: WORLD WIDE

Authorized By: For Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Huang Ning, Andy Assistant General Manager

XT/moonlee



Page 1 Of 3

Intertek Testing Services Shenzhen Limited, Guangzhou Branch Block E, No.7-2, Caipin Road, Guangzhou Science City, Getdd Guangzhou. 深圳天祥质量技术服务有限公司广州分公司 广州经济技术开发区科学城彩频路 7 号之二 E 栋 Tel: +86 20 8213 9001 Fax: +86 20 8208 9909 Postcode: 510663 Total Quality. Assured. <u>TEST REPORT</u> Tests Conducted (As Requested By The Applicant)

Number: GZHT90777310

1 Total Lead (Pb) Content In Surface Coating

With Reference To CPSC-CH-E1003-09.1:2011, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Result In ppm

ND

Applicant's Requirement In ppm 90

Remark: ppm = Parts Per Million Detection Limit = 10ppm ND=Not Detected

Tested Components: Mixture Ink For Soft PVC Printing.

2 Total Cadmium (Cd) Content

With reference to EPA 3050B: 1996 and EPA 3051A: 2007, ACID Digestion Method Was Used And Total Cadmium Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Result In ppm < 10 Applicant's Limit In ppm 75

Remark: ppm = Parts Per Million Detection Limit = 10ppm

Tested Components: Mixture Ink For Soft PVC Printing.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

XT / moonlee

Page 2 Of 3



Total Quality. Assured. <u>TEST REPORT</u> Tests Conducted (As Requested By The Applicant)

Number: GZHT90777310



XT / moonlee

Intertek Testing Services Shenzhen Limited, Guangzhou Branch Block E, No.7-2, Caipin Road, Guangzhou Science City, Getdd Guangzhou. 深圳天祥质量技术服务有限公司广州分公司 广州经济技术开发区科学城彩频路 7 号之二 E 栋 Tel: +86 20 8213 9001 Fax: +86 20 8208 9909 Postcode: 510663 Page 3 Of 3