

Applicant: JIN SHEU ENTERPRISE CO., LTD.
8F-9, NO., 502, YUAN SHAN RD.,
ZHONGHE DIST., NEW TAIPEI CITY 23545,
TAIWAN
Attn: HEIDI

Date: Mar 14, 2018

Sample Description:

One (1) piece of submitted sample said to be Mixture ink for soft PVC printing.

Standard	: --
Buyer's Name	: WORLD WIDE
Colour	: --
Vendor	: WORLD WIDE
Manufacturer	: CHINA
Supplier	: CHINA
Style No./Name	: --
P.O. No.	: --
Ref.	: MIXTURE INK FOR SOFT PVC PRINTING AGE RANGE: 3+
Country Of Origin	: MADE IN CHINA
Goods Exported To	: WORLD WIDE
Date Received/Date Test Started	: Refer To Following Remark
Date Final Information Confirmed	: --

Conclusion:


<u>Index</u>	<u>Test Item</u>	<u>Result</u>
1.	◇ 19 Toxic Element Migration Test	Meet Applicant's Requirement
2.	◇ Toxic Elements Analysis	Meet Applicant's Requirement
3.	◇ Soluble Lead Content Test	Pass

Remark: ◇ No Sample Is Submitted For Testing, All Test Results Are Referred To Previous Report GZHT90770815 Dated Feb 08, 2018.

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch

Huang Ning, Andy
Assistant General Manager



1 19 Toxic Element Migration Test

With Reference To EN71-3:2013+A1:2014 And Followed By Inductively Coupled Plasma Optical Emission Spectrometry (ICP/OES).

Category (III): Scraped-Off Toy Material

Element	Result (Mg/Kg)			Limit (Mg/Kg)
Aluminium (Al)	< 300			70000
Antimony (Sb)	< 10			560
Arsenic (As)	< 10			47
Barium (Ba)	< 10			18750
Boron (B)	< 50			15000
Cadmium (Cd)	< 5			17
Chromium (III) (Cr III) ⁺⁺	< 10			460
Chromium (VI) (Cr VI) ⁺⁺	< 0.1			0.2
Cobalt (Co)	< 10			130
Copper (Cu)	< 10			7700
Lead (Pb)	< 10			160
Manganese (Mn)	< 10			15000
Mercury (Hg)	< 10			94
Nickel (Ni)	< 10			930
Selenium (Se)	< 10			460
Strontium (Sr)	< 100			56000
Tin (Sn)	< 10			180000
Organic Tin ⁺⁺	< 3.0			12
Zinc (Zn)	< 100			46000

Remark : Mg/Kg = Milligram Per Kilogram

⁺⁺ = Unless The Test Results Were Marked With "#" Or "Δ", Chromium (III) & Chromium (VI) And Organic Tin Contents Were Not Directly Determined And Were Derived From Migration Results Of Total Chromium And Tin Respectively.

- Organic Tin Test Result Was Expressed As Tributyl Tin.

Tested Components : Mixture Ink For Soft PVC Printing.

Comment:

When Tested As Specified, The Screening Cr / Tin Content Exceeded The Cr(VI) Limit / Organic Tin Limit Of The EN71-3 : 2013+A1:2014 On The Safety Of Toys. However, As Requested By The Applicant, Cr(VI) / Organic Tin Confirmation Test Was Not Conducted On The Submitted Sample.

2 Toxic Elements Analysis

With Reference To Section 4.3.5 Of The ASTM Standard Consumer Safety Specification On Toy Safety ASTM F 963-16, Acid Digestion And Extraction Methods Were Used And Toxic Elements Content Were Determined By Inductively Coupled Argon Plasma Spectrometry.

	<u>Result In ppm</u>	<u>Applicant's Limit In ppm</u>
Sol. Barium (Ba)	ND	1000
Sol. Lead (Pb)	ND	90
Sol. Cadmium (Cd)	ND	75
Sol. Antimony (Sb)	ND	60
Sol. Selenium (Se)	ND	500
Sol. Chromium (Cr)	ND	60
Sol. Mercury (Hg)	ND	60
Sol. Arsenic (As)	ND	25

The Sample Weight In Bracket(S) Was/Were For Soluble Toxic Elements Analysis Only.

Remark: Sol. = Soluble
ND = Not detected
Detection limit = 10 ppm
ppm = Parts Per Million

Tested Components : Mixture Ink For Soft PVC Printing.

3 Soluble Lead Content Test

Test Method: Japan Toy Safety Standard 2012 Part 3 Chemical Properties Clause 2.7, 2.12, Acid Extraction Method Was Used And Soluble Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Sample/ Component</u>	<u>Result (mg/kg)</u>	<u>Requirement (mg/kg)</u>
	<5	90

Remark: mg/kg = milligram per kilogram

Tested Components: Mixture Ink For Soft PVC Printing.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

GZHT90777313

